



PRODUCT CATALOGUE

**NON CONTACT
THERMOMETER**

**AI FACE TEMPERATURE
DETECTION, ACCESS
CONTROL & TEMPERATURE
RECORD TERMINAL**

**VENUS INTELLIGENT
UV DISINFECTION
SYSTEM**

**NANO SPRAY GUN &
DISINFECTANTS**

MAHSA GROUP

**CONSULTATION/
QUOTATION CONTACT:**

+6012-9113816

www.mahsanexgen.com.my


Non Contact Thermometer

STORAGE DATA

Store 32 sets of measurement data, which is convenient for individual and multi-person analysis and comparison.

UNIT CONVERSION

Celsius and Fahrenheit can be converted between different countries and regions.




1s Temperature Measurement

Quick temperature measurement and easy operation



PRECISE TESTING	
CERTIFICATE OF CONFORMITY	
No.: PTC20031301501E-EM01	
Product	: Non-contact infrared thermometer
Model	: UX-A-01
The submitted sample of the above equipment has been tested and found to comply with the following European Directive:	
EMC Directive - 2014/30/EU	
The standard(s) used for showing compliance with the essential requirements:	
Applicable Standard(s)	Test Report(s) Number
EN 55011:2016+A1:2017 EN 60601-1-2:2017 EN 61000-3-2:2014 EN 61000-3-3:2013	PTC20031301501E-EM01
This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd. this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo. The CE marking may only be used if all the relevant and effective European Directives are applicable.	
	
	
Jacky Ou Manager Date: March 16, 2020	
Precise Testing & Certification (Guangdong) Co., Ltd. Building 1, No.6, Tongxin Road, Dongcheng Street, Dongguan, Guangdong, China Tel: 86 769 38808222 Web: www.ptc-testing.com Mail: inquiry@ptc-testing.com	

AI Face Temperature Detection, Access Control & Temperature Record Terminal



APPLICATIONS

Organisations that requires body temperature screening & records

FEATURES & BENEFITS

Milli-seconds face temperature detection & record


Facemask detection > 90% accuracy

Temperature accuracy up to $\pm 0.3^{\circ}\text{C}$

Door access integration
(Optional Mifare/ID/MyKad Card Reader)

Large internal memory
up to 20,000 face storage, 50,000 people
record and 10,000 hours temperature record

WIFI, LAN & USB Interface
(Optional RS-485, Wiegand
& other interfaces)



Venus Intelligent Germicidal UVC Light System

VENUS powerful Intelligent UV Disinfection lamps are designed at 253.7nm germicide wavelength to disinfect a wide range of surfaces, such as workstations, equipment, tables, machines, keypads, computers, lift and more! UVC lights can kill up to 99% of harmful bacteria and viruses, including the COVID-19 corona virus! It can do this without needing to come in direct contact with potentially contaminated surfaces. By combining with intelligent control disinfection technology solution, the built-in Occupant detection sensor safety features, which protect occupants from exposure to harmful UVC radiation; and with configurable disinfection timer for different sanitization needs. VENUS UVC lights also offer ease installation features. Can be attached to the wall with the strong double-sided tapes or screw on the wall and ceiling.




SPECIFICATIONS

PART NUMBER	SSI-UVC20W01	SSI-UVC40W01	SSI-UVC20W02	SSI-UVC40W02
Model	20W UVC illumination	40W UVC illumination	20W UVC illumination	20W UVC illumination
Housing Installation	Powder Coated Housing	Powder Coated Housing	Stainless steel housing	Stainless steel housing
Power supply	90 to 260 Vac, 50Hz	90 to 260 Vac, 50Hz	90 to 260 Vac, 50Hz	90 to 260 Vac, 50Hz
Size (mm)	W50 x L620	W50 x L1230	W80 x L620	W50 x L1230

NOTE: Recommended effective UVC Germicide coverage 1.5W/m³

APPLICATION



Nano Spray Gun & Disinfectants



FEATURES:

- Rated Power 1200W
- Comfortable grip handle
- Anion adjusting knob
- On/Off switch with green light power indicator
- Anion Nano-Stream Gas Production - 22ml/min
- Rated voltage: 220 - 240V 50Hz
- Product Weight: 1.3kg
- Product Size: (22 x 12 x 21)cm
- Warranty: 3 months



FUNCTIONALITY:

- Kills viruses & sterilisation of surface with **DISINFECTANT SOLUTION**
- Hair Colouring with hair **DYE SOLUTION**
- Humidify environment with **RO WATER**



Do not put chemical solutions such as alcohol, ethanol, or others as it is dangerous and can cause explosion in the room



PACKAGE INCLUDES

- 1 x Spray Gun
- 1 x 260ml water bottle
- 1 x User Manual